



N.	Descrizione it	Description en	Description fr	Beschreibung de	Descripción es	Descrição pt
1	Kit pressacavi	Kit cable glands	Kit press étoupes	Kabelverschraubungensatz	Kit sujetascable	Kit pressacabos
2	Kit reggispinta completo da 4 a 22 kW	Thrust bearing kit complete from 4 to 22 kW	Kit palier de butée complet de 4 à 22 kW	Drucklagerbausatz komplet von 4 bis 22 kW	Kit cojinete de empuje completo de 4 a 22 kW	Kit Apoios completo de 4 a 22 kW
3	Kit guarnizioni	Seals kit	Kit Garnitures	Bausatz Dichtungen	Kit juntas	Kit guarnições
4	Kit Viterie	Screws kit	Kit Visserie	Bausatz Schrauben	Kit tornillos	Kit parafusos
5	Kit tenuta/Flangia	Kit seals / Flange	Kit garnitures / Bride	Bausatz dichtungen / Flansch	Kit juntas / Brida	Kit Empanque/Flange
6	Statore completo	Stator assy	Stator complet	Stator komplet	Estator completo	Estator complet
7	Supporto inferiore	Lower support	Support inférieur	Untere Lagerung	Soporte inferior	Suporte inferior
8	Distanziale	Spacer	Entretoise	Distanzstück	Distanciador	Distanciador
9	Supporto superiore	Upper bracket	Support supérieur	Obere Lagerung	Soporte superior	Suporte superior
10	Supporto kit reggispinta	Thrust bearing bracket kit	Support kit palier de butée	Drucklagergehäuse	Soporte kit cojinete de empuje	Suporte Kit Apoios
11	Fondello diaframma	Bottom cover diaphragm	Couvercle inférieur soufflet	Untere Abdeckung Blasebalg	Tapa inferior de sujeta	Tampa inferior do fole
12	Albero rotore	Rotor shaft	Arbre rotor	Rotorwelle	Árbol rotor	Veio rotor
13	Boccola cuscinetto sup./inf. da 4 a 22kW	Upper/lower bush bearing from 4 to 22 kW	Roulement à douille supérieur/inférieur de 4 à 22 kW	Obere / Untere buchsenslager von 4 bis 22 kW	Cojinete de casquillo superior -inferior de 4 a 22 kW	Rolamento em bucha superior-inferior de 4 a 22 kW
14	Boccola cuscinetto sup./inf. da 26 a 37kW	Upper/lower bush bearing from 26 to 37 kW	Roulement à douille supérieur/inférieur de 26 à 37 kW	Obere / Untere buchsenslager von 26 bis 37 kW	Cojinete de casquillo superior- inferior de 26 a 37 kW	Rolamento em bucha superior-inferior de 26 a 37 kW
15	Parasabbia	Sand guard	Anti-sable	Sandschutz	Protección de arena	Protecção Vedante
16	Valvola sfiato	Relief valve	Soupape de Purge	Ablassventil	Valvula de purga	Válvula
17	Tappo riempimento	Filling plug	Bouchon de remplissage	Füllstoff-Stecker	Tapón de llenado	Bujão
18	Guarnizione pressacavo	Cable gland gasket	Joint de press étoupe	Kabelverschraubungen Dichtung	Junta sujetacable	O-ring pressacabo
19	Kit reggispinta completo da 26 a 37 kW	Thrust bearing kit complete from 26 to 37 kW	Kit palier de butée complet de 26 à 37 kW	Drucklagerbausatz komplet von 26 bis 37 kW	Kit cojinete de empuje completo de 26 a 37 kW	Kit Apoios completo de 26 a 37 kW
*	Solo per riparazioni	For repair only	Pour réparations seulement	Nur für die Reparatur	Sólo para la reparación	Para o reparo unicamente
N.	Beschrijving nl	Περιγραφή el	Açıklama tr	Kuvaus fi	Описание ru	Opis pl
1	Kabelklem set	Σετ σφιγκτήρων καλωδίων	Kablo bez kiti	Kaapelinpuristinsarja	Комплект каб.уплотнителей	Zestaw mocowania kabla
2	Complete druklager set van 4 tot 22 kW	Πλήρες σετ ωπτικού ρουλεμάν 4 - 22 kW	Komple ayar pulu kiti 4 - 22 kW	Täydellinen painelaakerisarja 4-22 kW	Полный комплект упорного подшипника от 4 до 22 кВт	Kompletny zestaw łożyska ciernego od 4 do 22 kW
3	Kit met dichtingen	Σετ τοιμοχών	Conta kiti	Tiivistesarja	КОМПЛЕКТ прокладок	ZESTAW Uszczelek
4	Kit met schroeven	Σετ βιδών	Vida kiti	Ruuvisarja	КОМПЛЕКТ винтов	ZESTAW wkręty
5	Mechanische afdichting/Flens	Σετ ανοχών στεγανότητας/Φλάντζας	Mekanik conta / Flanş	Tiivistesarja / Laippa	КОМПЛЕКТ прокладок/фланца	Zestaw łożysko tulejowe
6	Stator compleet	Πλήρης στάτορας	Statör tamamı	Täydellinen staattori	Статор полный	Stator
7	Onderste steun	Κάτω φορέας	Alt segman braket	Alatuki	Нижняя опора	Dolny wspornik
8	Afstandsstuk	Αποστάσεων	Ara halkası	Välilevy	Распорная	Część dystansowa
9	Bovenste steun	Επάνω φορέας	Ust braket	Ylätuki	Верхняя опора	Górny wspornik
10	Steun druklager kit	Φορέας σετ ωπτικού ρουλεμάν	Bindirme yatađı kiti desteđi	Painelaakerisarjan tuki	Опора комплекта упорного подшипника	Wspornik zestawu łożyska wzduźnego
11	Bedekking onderkant de membraan	Κάλυμμα διαφράγματος	Zeminlemek kapađı Diyafram	Alaosan, kalvo	диафрагма основания крышка	Dolna pokrywa Ko nierz
12	Rotoras	Άξονας στροφείου	Rotor mili	Roottorin akseli	ось ротора	Wałek (z rotorem)
13	Bovenste/Onderste Bus van 4 tot 22 kW	Κορυφή / Κάτω ένασφαιρου ρουλεμάν 4 - 22 kW	Burç yatađı üstteki / alt 4-22 kW	Holkilaakeri ylempi / alempi 4-22 kW	Подшипник со втулкой верхне-низко от 4 до 22 кВт	łożysko tulejowe wyższy / obniżać od 4 do 22 kW
14	Bovenste/Onderste Bus van 26 tot 37 kW	Κορυφή / Κάτω ένασφαιρου ρουλεμάν 26 - 37 kW	Burç yatađı üstteki / alt 26-37 kW	Holkilaakeri ylempi / alempi 26-37 kW	Подшипник со втулкой верхне-низко от 26 до 37 кВт	łożysko tulejowe wyższy / obniżać od 26 do 37 kW
15	Beschermkap	Προστατευτικό άμμου	Kum sizintisi önleme	Hiekkasuoja	Защита от песка	Ochrona przeciw-piaskowa
16	Ontluchtingsventiel	Βαλβίδα εξαερισμού	Tahliye valfi	Paineenrajoitusventtiili	Редукционный клапан	Zawór odpowietrzający
17	Vulplug	Πώμα πλήρωσης	Şarj fişı	Täyttötulppa	Пробка заполнения	Korek zalewowy
18	Kabelklem pakking	Περίβλημα σφιγκτήρα καλωδίων	Kablo bez contası	Kaapelinpuristimen tiiviste	Прокладка уплотнителей кабеля	Uszczelniaç kabla
19	Complete druklager set van 26 tot 37 kW	Πλήρες σετ ωπτικού ρουλεμάν 26 - 37 kW	Komple ayar pulu kiti 26 - 37 kW	Täydellinen painelaakerisarja 26-37 kW	Полный комплект упорного подшипника от 26 до 37 кВт	Kompletny zestaw łożyska ciernego od 26 do 37 kW
*	Alleen voor reparatie	επισκευή μόνο	Için tamir sadece	Korjattavaksi vain	для ремонт только	Do naprawy tylko

## CP6W/B 6" Submersible Motors

CP6W	40T405/B	55T405/B	75T405/B	93T405/B	110T405/B	130T405/B	150T405/B	185T405/B	220T405/B	
3Ph 400V 50Hz DOL	code 507170010	507170020	507170030	507170040	507170050	507170060	507170070	507170080	507170090	
CP6W	-	-	75T405/B	93T405/B	110T405/B	130T405/B	150T405/B	185T405/B	220T405/B	
3Ph 400/690V 50Hz SD	code		507170035	507170045	507170055	507170065	507170075	507170085	507170095	
	kW	4	5,5	7,5	9,3	11	13	15	18,5	22

1	Kit cable glands EPDM	5KL30ABC							
2	Thrust bearing kit 4 - 22 kW	5KL41AAC							
*3	Seals kit NBR	5KL02AAD							
4	Screws kit	5KL40AAD							
*5	Kit MECH D28 / Flange CER/CARB/FPM-A304	5KL01AAG							
7	Lower support cast iron	561450560	ACS approved paint						
8	Spacer	562550150	ACS approved paint						
9	Upper bracket DOL	561450580	ACS approved paint						
	Upper bracket SD	561450590	ACS approved paint						
10	Thrust bearing bracket	561450550	ACS approved paint						
11	Bottom cover	564250070	ACS approved paint						
*13	Upper/lower bush bearing 4 - 22 kW	562590010	N. 2						
*14	Upper/lower bush bearing 26 - 37 kW	-							
15	Sand guard EPDM	168561020							
16	Release valve 316SS NBR	549300070							
17	Filling plug EPDM 316 SS	540500010							
18	Cable gland gasket EPDM	568560290							
*19	Thrust bearing kit 26 - 37 kW	-							
(*)	Bush bearings chromate	5KL35AAD	FOR REPAIR ONLY						

6	Stator assy DOL	code									
	Stator assy SD		-	-							
12	Rotor shaft 420SS	code	555082010	555082020	555082030	555082040	555082050	555082060	555082070	555082080	555082090

PVC Winding Wire										
		<b>400-3-50 DOL</b>								
Wire Code										
Wire Type										
Tot wire need [m]										
		<b>400/690-3-50 SD</b>								
Wire Code		-	-							
Wire Type		-	-							
Tot wire need [m]		-	-							
In case of order, the quantity delivered will depend from the coil currently available.										

Flat Power cable H07BB-F ACS approved										
		<b>400-3-50 DOL</b>								
Cable code		572850960	572850960	572850960	572850960	572850960	572850960	572850960	572850962	572850962
Section (mm2)		4G4	4G4	4G4	4G4	4G4	4G4	4G4	4G6	4G6
		<b>400/690-3-50 SD</b>								
Cable code		572850910	572850910	572850910	572850910	572850910	572850910	572850910	572850910	572850910
Section (mm2)		3X4	3X4	3X4	3X4	3X4	3X4	3X4	3X4	3X4
Cable code		572850960	572850960	572850960	572850960	572850960	572850960	572850960	572850960	572850960
Section (mm2)		4G4	4G4	4G4	4G4	4G4	4G4	4G4	4G4	4G4
Codes are referred to 1 m of cable										

Special Versions		
1	Kit cable glands FPM	5KL30ABD
*3	Seals kit EPDM	5KL02AAE
	Seals kit FPM	5KL02AAF
*5	Kit MECH D28 / Flange SIC/SIC/NBR	5KL01AAH
	Kit MECH D28 / Flange SIC/SIC/FPM	5KL01AAK
15	Sand guard FPM	168561021
16	Release valve 316SS FPM	549300071
17	Plug for PT100	540500020
18	Cable gland gasket FPM	568560291

(\*) = WARNING. These parts replacement requires an Authorized Service.

## CP6W/B 6" Submersible Motors

<b>CP6W</b> 3Ph 400V 50Hz <b>DOL</b>	code	<b>260T405/B</b> 507010110	<b>300T405/B</b> 507010120	<b>370T405/B</b> 507010130
<b>CP6W</b> 3Ph 400/690V 50Hz <b>SD</b>	code	<b>260T405/B</b> 507010115	<b>300T405/B</b> 507010125	<b>370T405/B</b> 507010135
	kW	26	30	37

1	Kit cable glands EPDM 3/4 41X26/15	5KL30ABC		
	Kit cable glands EPDM 3/4 41X30/14	5KL30ABK	4G10 from 2010	
	Kit cable glands EPDM 3/4 41X30/14	5KL30AA9	4G10 up TO 2010	
2	Thrust bearing kit 4 - 22 kW	-		
*3	Seals kit NBR	5KL02AAD		
4	Screws kit	5KL40AAD		
*5	Kit MECH D28 / Flange CER/CARB/FPM-A304	5KL01AAG		
7	Lower support cast iron	561450560	ACS approved paint	
8	Spacer	562550150	ACS approved paint	
9	Upper bracket DOL	561450600	ACS approved paint	
	Upper bracket SD	561450610	ACS approved paint	
10	Thrust bearing bracket	561450550	ACS approved paint	
11	Bottom cover	564250070	ACS approved paint	
*13	Upper/lower bush bearing 4 - 22 kW	-		
*14	Upper/lower bush bearing 26 - 37 kW	562590060	, N. 4	
15	Sand guard EPDM	168561020		
16	Release valve 316SS NBR	549300070		
17	Filling plug EPDM 316 SS	540500010		
18	Cable gland gasket EPDM	568560290		
*19	Thrust bearing kit 26 - 37 kW	5KL41AAD		
(*)	Bush bearings chromate	5KL35AAE	<b>FOR REPAIR ONLY</b>	

6	Stator assy DOL	code			
	Stator assy SD				
12	Rotor shaft 420SS	code	555082100	555082110	555082120

PVC Winding Wire			
		<b>400-3-50 DOL</b>	
Wire Code			573325844
Wire Type			D1,8/2,6
Tot wire need [m]			<b>305*</b>
		<b>400/690-3-50 SD</b>	
Wire Code			573325844
Wire Type			D1,8/2,6/2,8
Tot wire need [m]			<b>305*</b>
		* Wire HT/HD instead of PVC	
In case of order, the quantity delivered will depend from the coil currently available.			

Flat Power cable H07BB-F ACS approved			
		<b>400-3-50 DOL</b>	
Cable code		572850962	572850964
Section (mm2)		4G6	4G10
		4G10	4G10
		<b>400/690-3-50 SD</b>	
Cable code		572850910	572850910
Section (mm2)		3X4	3X4
		3X4	3X4
Cable code		572850960	572850960
Section (mm2)		4G4	4G4
		4G4	4G4
Codes are referred to 1 m of cable			

Special Versions			
1	Kit cable glands FPM 3/4 41X26/15	5KL30ABD	
	Kit cable glands FPM 3/4 41X30/14	5KL30ABL	4G10 from 2010
*3	Seals kit EPDM	5KL02AAE	
	Seals kit FPM	5KL02AAF	
*5	Kit MECH D28 / Flange SIC/SIC/NBR	5KL01AAH	
	Kit MECH D28 / Flange SIC/SIC/FPM	5KL01AAK	
15	Sand guard FPM	168561021	
16	Release valve 316SS FPM	549300071	
17	Plug for PT100	540500020	
18	Cable gland gasket FPM	568560291	

(\*) = WARNING. These parts replacement requires an Authorized Service.

\* Recommended spare parts - Parti di ricambio consigliate  
\* Pièces détachées conseillées - Empfohlene Ersatzteile

## CP6W/B 6" Submersible Motors

CP6W 3Ph 230V 50Hz DOL	code	40T235/B	55T235/B	75T235/B	93T235/B	110T235/B	130T235/B	150T235/B	185T235/B	220T235/B
		507170011	507170021	507170031	507170041	507170051	507170061	507170071	507170081	507170091
CP6W 3Ph 230/400V 50Hz SD	code	-	-	75T235/B	93T235/B	110T235/B	130T235/B	150T235/B	185T235/B	220T235/B
		-	-	507170036	507170046	507170056	507170066	507170076	507170086	507170096
	kW	4	5,5	7,5	9,3	11	13	15	18,5	22

1	Kit cable glands EPDM	5KL30ABC								
*2	Thrust bearing kit 4 - 22 kW	5KL41AAC								
*3	Seals kit NBR	5KL02AAD								
4	Screws kit	5KL40AAD								
*5	Kit MECH D28 / Flange CER/CARB/FPM-A304	5KL01AAG								
7	Lower support cast iron	561450560	ACS approved paint							
8	Spacer	562550150	ACS approved paint							
9	Upper bracket DOL	561450580	ACS approved paint							
	Upper bracket SD	561450590	ACS approved paint							
10	Thrust bearing bracket	561450550	ACS approved paint							
11	Bottom cover	564250070	ACS approved paint							
*13	Upper/lower bush bearing 4 - 22 kW	562590010	N. 2							
*14	Upper/lower bush bearing 26 - 37 kW	-								
15	Sand guard EPDM	168561020								
16	Release valve 316SS NBR	549300070								
17	Filling plug EPDM 316 SS	540500010								
18	Cable gland gasket EPDM	568560290								
19	Thrust bearing kit 26 - 37 kW	-								
(*)	Bush bearings chromate	5KL35AAD	FOR REPAIR ONLY							

6	Stator assy DOL	code									
	Stator assy SD		-	-							
12	Rotor shaft 420SS	code	555082010	555082020	555082030	555082040	555082050	555082060	555082070	555082080	555082090

PVC Winding Wire										
<b>230-3-50 DOL</b>										
Wire Code										
Wire Type										
Tot wire need [m]										
<b>230/400-3-50 SD</b>										
Wire Code	-	-								
Wire Type	-	-								
Tot wire need [m]	-	-								
In case of order, the quantity delivered will depend from the coil currently available.										

Flat Power cable H07BB-F ACS approved										
<b>230-3-50 DOL</b>										
Cable code	572850960	572850960	572850960	572850960	572850960	572850962	572850960	572850962	572850962	572850962
Section (mm2)	4G4	4G4	4G4	4G4	4G4	4G6	4G4	4G6	4G6	4G6
<b>230/400-3-50 SD</b>										
Cable code	572850910	572850910	572850910	572850910	572850910	572850910	572850910	572850910	572850910	572850910
Section (mm2)	3X4	3X4	3X4	3X4	3X4	3X4	3X4	3X4	3X4	3X4
Cable code	572850960	572850960	572850960	572850960	572850960	572850960	572850960	572850960	572850960	572850960
Section (mm2)	4G4	4G4	4G4	4G4	4G4	4G4	4G4	4G4	4G4	4G4
Codes are referred to 1 m of cable										

Special Versions										
1	Kit cable glands FPM	5KL30ABD								
*3	Seals kit EPDM	5KL02AAE								
	Seals kit FPM	5KL02AAF								
*5	Kit MECH D28 / Flange SIC/SIC/NBR	5KL01AAH								
	Kit MECH D28 / Flange SIC/SIC/FPM	5KL01AAK								
15	Sand guard FPM	168561021								
16	Release valve 316SS FPM	549300071								
17	Plug for PT100	540500020								
18	Cable gland gasket FPM	568560291								

(\*) = WARNING. These parts replacement requires an Authorized Service.

\* Recommended spare parts - Parti di ricambio consigliate  
 \* Pièces détachées conseillées - Empfohlene Ersatzteile

## CP6W/B 6" Submersible Motors

<b>CP6W</b> 3Ph 230V 50Hz <b>DOL</b>	<b>260T235/B</b> code 507010111	<b>300T235/B</b> 507010121	<b>370T235/B</b> 507010131
<b>CP6W</b> 3Ph 230/400V 50Hz <b>SD</b>	<b>260T235/B</b> code 507010116	<b>300T235/B</b> 507010126	<b>370T235/B</b> 507010136
	kW	26	30
			37

1	Kit cable glands EPDM 3/4 41X26/15	5KL30ABC	
	Kit cable glands EPDM 3/4 41X30/14	5KL30ABK	4G10 from 2010
	Kit cable glands EPDM 3/4 41X30/14	5KL30AA9	4G10 up TO 2010
2	Thrust bearing kit 4 - 22 kW	-	
*3	Seals kit NBR	5KL02AAD	
4	Screws kit	5KL40AAD	
*5	Kit MECH D28 / Flange CER/CARB/FPM-A304	5KL01AAG	
7	Lower support cast iron	561450560	ACS approved paint
8	Spacer	562550150	ACS approved paint
9	Upper bracket DOL	561450600	ACS approved paint
	Upper bracket SD	561450610	ACS approved paint
10	Thrust bearing bracket	561450550	ACS approved paint
11	Bottom cover	564250070	ACS approved paint
*13	Upper/lower bush bearing 4 - 22 kW	-	
*14	Upper/lower bush bearing 26 - 37 kW	562590060	N. 4
15	Sand guard EPDM	168561020	
16	Release valve 316SS NBR	549300070	
17	Filling plug EPDM 316 SS	540500010	
18	Cable gland gasket EPDM	568560290	
*19	Thrust bearing kit 26 - 37 kW	5KL41AAD	
(*)	Bush bearings chromate	5KL35AAE	<b>FOR REPAIR ONLY</b>

6	Stator assy DOL	code		n/A
	Stator assy SD			
12	Rotor shaft 420SS	code	555082100	555082110
				555082120

<b>PVC Winding Wire</b>			
<b>230-3-50 DOL</b>			
Wire Code			
Wire Type			
Tot wire need [m]			
<b>230/400-3-50 SD</b>			
Wire Code			573325814
Wire Type			D1,8/2,6
Tot wire need [m]			<b>310</b>
In case of order, the quantity delivered will depend from the coil currently available.			

<b>Flat Power cable H07BB-F ACS approved</b>			
<b>230-3-50 DOL</b>			
Cable code			
Section (mm2)			
<b>230/400-3-50 SD</b>			
Cable code	572850912	572850914	572850914
Section (mm2)	3X6	3X10	3X10
Cable code	572850962	572850964	572850964
Section (mm2)	4G6	4G10	4G10
Codes are referred to 1 m of cable			

<b>Special Versions</b>			
1	Kit cable glands FPM 3/4 41X26/15	5KL30ABD	
	Kit cable glands FPM 3/4 41X30/14	5KL30ABL	4G10 from 2010
*3	Seals kit EPDM	5KL02AAE	
	Seals kit FPM	5KL02AAF	
*5	Kit MECH D28 / Flange SIC/SIC/NBR	5KL01AAH	
	Kit MECH D28 / Flange SIC/SIC/FPM	5KL01AAK	
15	Sand guard FPM	168561021	
16	Release valve 316SS FPM	549300071	
17	Plug for PT100	540500020	
18	Cable gland gasket FPM	568560291	

(\*) = WARNING. These parts replacement requires an Authorized Service.

\* Recommended spare parts - Parti di ricambio consigliate  
\* Pièces détachées conseillées - Empfohlene Ersatzteile