



N.	Descrizione it	Description en	Description fr	Beschreibung de	Descripción es	Descrição pt
1	Kit pressacavi	Kit cable glands	Kit press étoupes	Kabelverschraubungensatz	Kit sujetascable	Kit pressacabos
2	Kit reggispinta completo	Thrust bearing kit, complete	Kit palier de butée complet	Drucklagerbausatz komplet	Kit cojinete de empuje completo	Kit Apoios, completo
3	Kit guarnizioni	Seals kit	Kit Garnitures	Bausatz Dichtungen	Kit juntas	Kit guarnições
4	Kit Viterie	Screws kit	Kit Visserie	Bausatz Schrauben	Kit tornillos	Kit parafusos
5	Kit tenuta/Flangia	Kit seals / Flange	Kit garnitures / Bride	Bausatz dichtungen / Flansch	Kit juntas / Brida	Kit Empanque/Flange
6	Kit boccole	Kit bearing bush	Kit roulement à douille	Bausatz buchsenlager	Kit cojinete de casquillo	Kit rolamento em bucha
7	Statore completo	Stator assy	Stator complet	Stator komplet	Estator completo	Estator complet
8	Supporto inferiore	Lower support	Support inférieur	Untere Lagerung	Soporte inferior	Suporte inferior
9	Distanziale	Spacer	Entretoise	Distanzstück	Distanciador	Distanciador
10	Supporto superiore	Upper bracket	Support supérieur	Obere Lagerung	Soporte superior	Suporte superior
11	Supporto kit reggispinta	Thrust bearing bracket kit	Support kit palier de butée	Drucklagergehäuse	Soporte kit cojinete de empuje	Suporte Kit Apoios
12	Fondello diaframma	Bottom cover diaphragm	Couvercle inférieur soufflet	Untere Abdeckung Blasebalg	Tapa inferior de sujeta	Tampa inferior do fole
13	Albero rotore	Rotor shaft	Arbre rotor	Rotorwelle	Árbol rotor	Veio rotor
14	Boccola cuscinetto sup. / inf.	Upper / lower bush bearing	Roulement à douille supérieur / inférieur	Obere /Untere- buchsenlager	Cojinete de casquillo superior-inferior	Rolamento em bucha superior-inferior
15	Parasabbia	Sand guard	Anti-sable	Sandschutz	Protección de arena	Protecção Vedante
16	Valvola sfiato	Relief valve	Soupape de Purge	Ablassventil	Valvula de purga	Válvula
17	Tappo riempimento	Filling plug	Bouchon de remplissage	Füllstoff-Stecker	Tarón de llenado	Bujão
18	Guarnizione pressacavo	Cable gland gasket	Joint de press étoupe	Kabelverschraubungen Dichtung	Junta sujetacable	O-ring pressacabo
N.	Beschrijving nl	Περιγραφή el	Açıklama tr	Kuvaus fi	Описание ru	Opis pl
1	Kabelklem set	Σετ σφικτήρων καλωδίων	Kablo bez kiti	Kaapelinpuristinsarja	Комплект каб.уплотнителей	Zestaw mocowania kabla
2	Complete druklager set	Πλήρες σετ ωπτικού ρουλεμάν	Komple ayar pulu kiti	Täydellinen painelaakerisarja	Полный комплект упорного подшипника	Kompletny zestaw łożyska ciernego
3	Kit met dichtingen	Σετ τσιμουχών	Conta kiti	Tiivistesarja	КОМПЛЕКТ прокладок	ZESTAW Uszczelek
4	Kit met schroeven	Σετ βιδών	Vida kiti	Ruuvisarja	КОМПЛЕКТ винтов	ZESTAW wkręty
5	Mechanische afdichting/Flens	Σετ ανοχών στεγανότητας/Φλάντζας	Mekanik conta / Flans	Tiivistesarja / Laippa	Комплект прокладок/фланца	Zestaw uszczelniaczy kołnieszka
6	Bus set	επάνω Σετ	Burç yatađı kiti	Holkilaakerisarja	КОМПЛЕКТ Подшипник со втулкой	Zestaw łożysko tulejowe
7	Stator compleet	Πλήρης στάτορας	Statör tamamı	Täydellinen staattori	Статор полный	Stator
8	Onderste steun	Κάτω φορέας	Alt segman braket	Alatuki	Нижняя опора	Dolny wspornik
9	Afstandsstuk	Αποστάσεων	Ara halkası	Välilevy	Распорная	Część dystansowa
10	Bovenste steun	Επάνω φορέας	Ust braket	Ylätuki	Верхняя опора	Górny wspornik
11	Steun druklager kit	Φορέας σετ ωπτικού ρουλεμάν	Bindirme yatađı kiti desteđi	Painelaakerisarjan tuki	Опора комплекта упорного подшипника	Wspornik zestawu łożyska wzduźnego
12	Bedekking onderkant de membraan	Κάλυμμα διαφράγματος	Zeminlemek kapađı Diyafram	Alaosan, kalvo	диафрагма основания крышка	Dolna pokrywa Ko nierz
13	Rotoras	Άξονας στροφείου	Rotor mili	Roottorin akseli	ось ротора	Wałek (z rotorem)
14	Bovenste /Onderste- Bus	Κορυφή / Κάτω έσφαιρου ρουλεμάν	Burç yatađı üstteki / alt	Holkilaakeri ylempi - alempi	Подшипник со втулкой верхне / низко	łożysko tulejowe wyższy / obniźać
15	Beschermkap	Προστατευτικό άμμου	Kum sizintisi önleme	Hiekka suoja	Защита от песка	Ochrona przeciw-piaskowa
16	Ontluchtingsventiel	Βαλβίδα εξαερισμού	Tahliye valfi	Paineenrajotusventtiili	Редукционный клапан	Zawór odpowietrzający
17	Vulplug	Πώμα πλήρωσης	Şarj fişı	Täyttötulppa	Пробка заполнения	Korek zalewowy
18	Kabelklem pakking	Περιβλήμα σφικτήρα καλωδίων	Kablo bez contası	Kaapelinpuristimen tiiviste	Прокладка уплотнителей кабеля	Uszczelniaacz kabla

## L8W 8" Submersible Motors

Production date > July 2007

L8W -->	300T405	370T405	450T405	520T405	550T405	600T405	670T405	750T405	830T405	930T405
3Ph 400V 50Hz DOL	507003030	507003040	507003050	507003060	507003070	507003080	507003090	507003100	507003110	507003120
L8W -->	300T405	370T405	450T405	520T405	550T405	600T405	670T405	750T405	830T405	930T405
3Ph 400/690V 50Hz SD	507003035	507003045	507003055	507003065	507003075	507003085	507003095	507003105	507003115	507003125
KW --->	30	37	45	52	55	60	67	75	83	93

### Assy: Rewindable stator and rotor

7	Stator assy DOL	540640220	540640230	540640240	540640250	540640260	540640270	540640280	540640290	540640300	540640310
	Stator assy SD	540640225	540640235	540640245	540640255	540640265	540640275	540640285	540640295	540640305	540640315
13	Rotor shaft	555080220	555080230	555080240	555080250	555080260	555080270	555080280	555080290	555080300	555080310

### PVC Winding Wire \*\*

Wire Code -->	400-3-50 DOL									
Wire Type -->	D2,1/3,1	D1,6/2,4	D1,8/2,6	D2,0/2,9	D2,0/2,9	D2,1/3,1	D2,2/3,2	D1,6/2,4	D1,7/2,5	D1,8/2,6
Tot wire need [m]-->	395	745	685	640	580	595	605	1025	1110	1170
Wire Code -->	400/690-3-50 SD									
Wire Type -->	D2,1/3,1	D1,6/2,4	D1,8/2,6	D2,0/2,9	D2,0/2,9	D2,1/3,1	D2,2/3,2	D1,6/2,4	D1,7/2,5	D1,8/2,6
Tot wire need [m]-->	395	745	685	640	575	595	605	1025	1110	1170

### Kit

1	Kit cable glands EPDM 1X6/10/16	5KL30AAR	30-60 kW DOL / 52-93 kW SD
	Kit cable glands EPDM 1X6/10/16	5KL30AAA	30-45 kW SD
	Kit cable glands EPDM 1X25/35	5KL30AAS	67-93 kW DOL
*2	Kit thrust bearing	5KL41AAA	
*3	Kit seals NBR	5KL02AAB	
4	Kit screws 304 SS	5KL40AAB	
*5	Kit seals / Cover CER/CARB/NBR	5KL01AAC	D.45
6	Kit chromate bearing bush	5KL35AAF	<b>For REPAIR only</b>
*14	Kit carbon bearing bush	5KL35AAC	

### Single Unit

8	Lower support cast iron	561450070	
10	Upper bracket DOL/SD	561450080	
9	Spacer 1 Exit	562550050	
	Spacer 2 Exit	562550060	also for PT100
11	Thrust bearing bracket	561450060	
	Filling valve Brass	549300020	
12	Bottom cover	564250020	
15	Sand guard 316 SS	568600040	
16	Release valve Brass	549300010	
17	Filling plug Brass	-	
18	Cable gland gasket EPDM	-	

### Power cable H07BB-F ACS approved

Ground cable H07BB-F ACS approved, with eyelet

DOL	KW -->	30-37	45-60	67-75	83-93	
Power cable Code		572851264	572851266	572851268	572851270	Codes are referred to 1 m of cable
Section (mm2)		1X10	1X16	1X25	1X35	
Ground cable Code		556990020	556990030	556990040	556990050	Codes are referred to 5,5 m of ground cable
Section (mm2)		1X10	1X16	1X25	1X35	
SD	KW -->	30-45	52-67	75-93		
Power cable Code		572851262	572851264	572851266		Codes are referred to 1 m of cable
Section (mm2)		1X6	1X10	1X16		
Ground cable Code		556990020	556990020	556990030		Codes are referred to 5,5 m of ground cable
Section (mm2)		1X10	1X10	1X16		

### Special Options

*3	Kit seals FPM	5KL02AAH	
*5	Kit seals / Cover SIC/SIC/NBR	5KL01AAD	D45
16	Release valve FPM	549300071	
17	Plug 316 SS for PT100	540500020	
18	Cable gland gasket EPDM	568560290	N.2 -> PT100
	Cable gland gasket FPM	568560291	
	Kit PT100 EPDM	5KL30AAX	

\*\*Note. In case of order, the quantity delivered will depend from the bobbin length currently available.

(6) = WARNING. These parts replacement requires an Authorized Service.

\* Recommended spare parts - Parti di ricambio consigliate  
\* Pièces détachées conseillées - Empfohlene Ersatzteile

L8W 5 July07 EdD

## L8W HT 8" Submersible Motors

Production date > Sept 2008

L8W -->	300T405	370T405	450T405	520T405	550T405	600T405	670T405	750T405	830T405
3Ph 400V 50Hz HT DOL	507073040	507073050	507073060	507073070	507073080	507073090	507073100	507073110	507073120
L8W -->	300T405	370T405	450T405	520T405	550T405	600T405	670T405	750T405	830T405
3Ph 400/690V 50Hz HT SD				507073075					
kW -->	30	37	45	52	55	60	67	75	83

### Assy: Rewindable stator and rotor

7	Stator assy DOL	54064023B	54064024B	54064025B	54064026B	54064027B	54064028B	54064029B	54064030B	54064031B
	Stator assy SD				54064026D					
13	Rotor shaft	555080230	555080240	555080250	555080260	555080270	555080280	555080290	555080300	555080310

### PE2PA Winding Wire \*\*

Wire Code -->	400-3-50 DOL HT									
Wire Type -->	573325840	573325842	573325845	573325845	573325846	573325846	573325846	573325840	573325841	573325842
Tot wire need [m]-->	D1,4/2,2/2,4	D1,6/2,4/2,6	D1,9/2,7/2,9	D1,9/2,7/2,9	D2,0/2,9/3,1	D2,0/2,9/3,1	D2,0/2,9/3,1	D1,4/2,2/2,4	D1,5/2,3/2,5	D1,6/2,4/2,6
	750	685	640	640	595	605	1025	1110	1110	1170
Wire Code -->	400/690-3-50 SD HT									
Wire Type -->				573325845						
Tot wire need [m]-->				D1,9/2,7/2,9						
				575						

### Kit

1	Kit cable glands EPDM 1X6/10/16	5KL30AAR	30-60 kW DOL / 52-93 kW SD
	Kit cable glands EPDM 1X6/10/16	5KL30AAA	30-45 kW SD
	Kit cable glands EPDM 1X25/35	5KL30AAS	67-93 kW DOL
*2	Kit thrust bearing	5KL41AAA	
*3	Kit seals NBR	5KL02AAB	
4	Kit screws	5KL40AAB	
*5	Kit seals / Cover CER/CARB/NBR	5KL01AAC	D.45
6	Kit chromate bearing bush	5KL35AAF	<b>For REPAIR only</b>
*14	Kit carbon bearing bush	5KL35AAC	

### Single Unit

8	Lower support cast iron	561450070	
10	Upper bracket DOL/SD	561450080	
*14	Bush bearings	562590040	N.4
9	Spacer 1 Exit	562550050	
	Spacer 2 Exit	562550060	
11	Thrust bearing bracket	561450060	
	Filling valve Brass	549300020	
12	Bottom cover	564250020	
15	Sand guard 316 SS	568600040	
16	Release valve Brass	549300010	
17	Filling plug Brass	-	
	Plug for PT100	-	
18	Cable gland gasket EPDM	-	

### Power cable H07BB-F ACS approved

Ground cable H07BB-F ACS approved, with eyelet

DOL kW -->	30	37	45-55	60-67	75-83
Power cable Code	572851264	572851266	572851266	572851268	572851270
Section (mm2)	1X10	1X16	1X16	1X25	1X35
Ground cable Code	556990020	556990030	556990030	556990040	556990050
Section (mm2)	1X10	1X16	1X16	1X25	1X35

Codes are referred to 1 m of cable

Codes are referred to 5,5 m of ground cable

SD kW -->	52
Power cable Code	572851264
Section (mm2)	1X10
Ground cable Code	556990020
Section (mm2)	1X10

Code is referred to 1 m of cable

Code is referred to 5,5 m of ground cable

### Special Version

*5	Kit seals / Cover SIC/SIC/NBR	5KL01AAD	Mech. D45
----	-------------------------------	----------	-----------

\*\*Note. In case of order, the quantity delivered will depend from the bobbin length currently available.

(6) = WARNING. These parts replacement requires an Authorized Service.

\* Recommended spare parts - Parti di ricambio consigliate  
\* Pièces détachées conseillées - Empfohlene Ersatzteile

L8W 5 Sept08 EdD